# **Scientific References**

**1.** Neuronal Stress Pathway Mediating a Histone Methyl/Phospho Switch Is Required for Herpes Simplex Virus Reactivation.

# https://www.cell.com/cell-host-microbe/fulltext/S1931-3128(15)00461-8

2. DNA-Packing Portal and Capsid-Associated Tegument Complexes in the Tumor Herpesvirus KSHV.

# https://www.cell.com/cell/fulltext/S0092-8674(19)30834-7

**3.** Global Mapping of Herpesvirus-Host Protein Complexes Reveals a Transcription Strategy for Late Genes.

## https://www.cell.com/molecular-cell/fulltext/S1097-2765(14)00921-6

4. The Fc Domain of Immunoglobulin Is Sufficient to Bridge NK Cells with Virally Infected Cells.

## https://www.cell.com/immunity/fulltext/S1074-7613(17)30279-0

5. Herpes simplex virus induces a processing factor that stimulates poly(A) site usage.

# https://www.cell.com/cell/fulltext/0092-8674(89)90765-4

**6.** Splice site selection dominates over poly(A) site choice in RNA production from complex adenovirus transcription units.

## https://pubmed.ncbi.nlm.nih.gov/3416835/

**7.** Synthesis of secreted and membrane-bound immunoglobulin mu heavy chains is directed by mRNAs that differ at their 3' ends.

## https://pubmed.ncbi.nlm.nih.gov/6771018/

**8.** Campbell M.E.M. Palfreyman J.W. Preston C.M. Identification of herpes simplex virus DNA sequences which encode a trans-acting polypeptide responsible for stimulation of immediate early transcription.

## https://pubmed.ncbi.nlm.nih.gov/6096556/

**9.** 3' Cleavage and polyadenylation of mRNA precursors in vitro requires a poly(A) polymerase, a cleavage factor, and a snRNP.

# https://pubmed.ncbi.nlm.nih.gov/2842067/

**10.** Temporal regulation of herpes simplex virus type 1 transcription: location of transcripts on the viral genome.

https://pubmed.ncbi.nlm.nih.gov/198141/